


A decorative graphic consisting of several parallel white lines of varying lengths, arranged in a diagonal pattern from the upper right towards the center of the slide.

B-HYGIENIC & PURACO

CLEAN ROOM EQUIPMENTS





CLEAN-ROOM EQUIPMENT

B-HYGIENIC & PURACO




www.b-hygienicperu.com






www.b-hygenicperu.com



www.b-hygienicperu.com




Product : 100mm Metal Connection Clip

Clip Connection Structure Advantage:

- install and dismantle easily
- Hollow wall for air
- Firm, aesthetic
- 4 hours fire resistance
- Easy for pre-burying pipes and cables
- Height: 65 meters


www.b-hygienicperu.com






Corner Treatment


With the seamless corner which was directly molded with one piece of steel plate, the wall has excellent air tightness.




1. Silicone
2. Decorative Strip
3. Shrapnel
4. H-Beam


www.b-hygienicperu.com






Return air part can be conveniently connected to the clean ventilation duct.






Diversion type return air inlet:
return air inside the wall.



www.b-hygienicperu.com





The connection between floor keel and the panel

- The adjuster is shorter than the panel 3mm each side

www.b-hygenicperu.com

- Provide customized size according to URS.






PVC Floor Kick Plate



Epoxy Resin Sand Floor Kick Plate

www.b-hygienicperu.com




It is easy to install water intake point and gauges in the wall panels:



www.b-hygienicperu.com






C
A
S
E



www.b-hygenicperu.com






50mm Partition Wall System





www.b-hygienicperu.com



Panel Structure Illustration:

Material	Name
Colored baking finish hot dipping galvanized and aluminized steel sheet	Panel
Hot dipping aluminized steel sheet. T=0.8mm	Frame
Rock wool, paper honeycomb, aluminum honeycomb, magnesium oxide board, PU, etc.	Filling material
Polyurethane glue	Glue





Rapid assembling


Modularized assembly of double layer window


Steel door

Panel

- Width : 900mm,
- 1200mm, 1160mm.
- Length : ≤6000mm.
- Filling material:
 - rock wool(120kg/m³), paper honeycomb, aluminum honeycomb, PU.

www.b-hygienicperu.com





Modular Combination :




aluminum connector
CR-A1

double-clip type connector
CR-A2


big flat-fell seam
CR-A3

www.b-hygienicperu.com




Diversified Joints

The Panel joint between the Wall and Floor



Joint 1




Joint 2




Joint 3


www.b-hygenicperu.com



Corner connection joint




www.b-hygenicperu.com




Ceiling Panel And Keel System








- C-shaped ceiling keel with T-shaped fittings is convenient to install.
- The C-shaped ceiling keel can make the panel gap uniform.
- The keel system are not visible in the clean room. The clean room ceilings are smooth, easy to clean, and no dust. It is in accordance with the requirements of GMP.



www.b-hygienicperu.com




Aluminium Alloy Hidden Type Keel



www.b-hygenicperu.com


- This shape keel is easy to install, and is currently widely used.
- Not visible in the clean room.
- The clean room ceilings are smooth, easy to clean, and no dust.
- In accordance with the requirements of GMP.
- Put magnesium oxide board on the surface of ceiling panels can increase the roof bearing capacity and reduces deformation.



Doors and Windows



www.b-hygienicperu.com




■ The kinds of doors (for Pharma):

- Baking Finish Galvanized Steel Door
- Color Steel door
- Melamine resin door
- SS 304 door

■ The kinds of windows (match partition):

- Single Window
- 50mm Double Windows
- 100mm Double Windows



Stainless Steel Handle Lock



Elbow Press Lock



Stainless Steel Hinge




Flat Suction Hinge



Auto Elevation Sweep

- Baking Finish Galvanized Steel Door :High strength, durable
- Color Steel Plate Door: Adopt double seal to ensure the airtight
- Melamine Resin Door:good crashworthiness
- The door can be matched with various locks
- The door can fit all kinds of door closers: visible, concealed.



Control System



Interlock System





Cleanroom Telephone






LED Light

www.b-hygienicperu.com










www.b-hygienicperu.com






Project
Photo



www.b-hygienicperu.com




Project Photo



www.b-hygienicperu.com






Project Photo




www.b-hygienicperu.com



Project
Photo






Project
Photo




www.b-hygienicperu.com



Project
Photo




www.b-hygienicperu.com



Project
Photo




www.b-hygenicperu.com



Project Photo






Project
Photo




www.b-hygienicperu.com




Project Photo



www.b-hygienicperu.com






Project Photo




www.b-hygienicperu.com

OPTIONS PANELS ECONOMIC SOLUTIONS




POLYSTYRENE PANELS

PIR PANELS POLIURETANE



50 mm – 75 mm – 100 mm – 120 mm - 150 mm - 200 mm



50 mm – 80 mm – 100 mm – 120 mm - 150 mm

www.b-hygenicperu.com

E-MAIL : info@b-hygenicperu.com

proyectos@b-hygenicperu.com

WEB : www.b-hygenicperu.com